

PRODUCT CODE: 13011 APRIL 2024

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier:	Maxxon® Commercial Profile
Recommended uses:	Heavy duty concrete cleaner
Restrictions on uses:	None identified
Supplier:	Maxxon Corporation, 920 Hamel Road • PO Box 253 • Hamel, MN 55340
Company Telephone/Fax:	(763) 478-9600 / (763) 478-2431
Emergency Telephone Number:	(800) 424-9300 (CHEMTREC)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture		
Physical hazards:	Not Classified	
Health hazards:	Not Classified	
Skin corrosion/irritation:	Category 2	
Serious eye damage/eye irritation	: Category 2	
Specific target organ toxicity,		
single exposure: Category 3 respiratory track irritation		
OSHA:	Not Classified	
Labeling		
Hazard pictograms:		
\checkmark		
Signal word:	Warning	
Hazard statement:	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.	
Precautional statements		
Prevention:	Wash thoroughly after handling Use only outdoors or in a well-vented area. Wear eye protection/face protection. Wear protective gloves.	
Response:	If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.	
Storage:	Store in well – ventilated place. Keep container tightly closed. Store locked up.	
Disposal:	Dispose of contents/container in accordance with local/regional/national/ international regulations.	
Hazard(s) not otherwise		
classified (HNOC):	None known	
Supplemental information:	None	



PRODUCT CODE: 13011 APRIL 2024

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances:

Mixtures:

Not applicable According to the Hazardous Products Regulation (February 11, 2015)

CHEMICAL NAME	%	CAS#
Urea Monohydrochloride	50-60	5068-89-8
Sulphamic A	< 5	5329-14-6
Urea	< 5	57-13-6

Composition Comments:

All concentrations are in percent by weight

4. FIRST AID MEASURES

Description of first aid measures

First-aid measures after inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for			
	breathing. Call a poison center or doctor/physician if you feel unwell.			
First-aid measures				
after skin contact:	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention: Wash contaminated clothing before reuse.			
First-aid measures after				
eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.			
First-aid measures after				
ingestion:	Rinse mouth Get medical attention if symptoms occur.			
Most important symptoms/effects	, acute and delayed.			
Most important symptoms				
and effects:	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.			
Indication of immediate medical attention and special treatment, if indicated				
Other medical advice or treatment	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed			
General information:	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.			



Profile

SAFETY DATA SHEET

PRODUCT CODE: 13011 APRIL 2024

5. FIRE FIGHTING MEASURES Continued

Extinguishing media

Suitable extinguishing media:	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2)
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the product:	During fire, gases hazardous to health may be formed.e
Special protective equipment and precautions for fire-fighters:	Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA)
Fire-fighting equipment	
and instructions:	Move containers from fire area if you can do so without risk.
Specific Methods:	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards:	No unusual fire or explosive hazards noted.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General measures:	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean- up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.			
Methods and material for containment and cleaning up				
Small spill:	Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.			
Large spill:	Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water			
Environmental precautions:	Avoid discharge into drains, water courses or onto the ground.			

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling:	Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing.	
	Provide adequate ventilation. Wear appropriate personal protective equipment.	
	Observe good industrial hygiene practices.	

Conditions for safe storage, including any incompatibilities

Storage conditions:	Store in tightly closed container. Store away from incompatible materials (see	
	Section 10 of the SDS).	3



PRODUCT CODE: 13011 APRIL 2024

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

COMPONENTS	TYPE	VALUE	FORM
Urea (CAS 57-13-6)	TWA	10 mg/m³	Total particulate

Biological limit values:	No biological exposure limits noted for ingredient(s).		
Appropriate engineering controls:	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.		
Individual protection measures/personal protective equipment:			
Eye/face protection:	Wear approved safety goggles.		
Hand protection:	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier		

	recommended by the glove supplier	
Skin and body protection:	Wear appropriate chemical resistant clothing.	
Skin protection – Other:	Wear suitable protective clothing	
Thermal hazard:	Wear appropriate thermal protective clothing, when necessary	
General hygiene considerations:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	Liquid
Form	Liquid
Color	Clear, Yellow
Odor	Odorless
Odor threshold	Not applicable
рН	Acidic
Melting point / freezing poi	Not applicable
Initial boiling point and	
boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not applicable



PRODUCT CODE: 13011 APRIL 2024

9. PHYSICAL AND CHEMICAL PROPERTIES

Lower and upper flammability or explosive limits

Flammability limit – lower (%)	Not applicable
Flammability limit – upper (%)	Not applicable
Vapor pressure	Not applicable
Vapor density	Not applicable
Relative density	Not applicable
Solubility(ies): Solubility (water)	Not applicable
Partition co-efficient:	
n-octanol/water	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not applicable
Viscosity	Not applicable
Other information	
Explosive properties	Not explosive
Oxidizing properties	Non oxidizing

10. STABILITY AND REACTIVITY

Reactivity:	This product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability:	Material is stable under normal conditions.
Possibility of	
hazardous reactions:	No dangerous reactions known under normal conditions of use.
Conditions to avoid:	Heat. Contact with incompatible materials.
Incompatible materials:	Strong oxidizing agents.
Hazardous	
decomposition products:	At elevated temperatures: Carbon oxides. Nitrogen oxides. Sulfur oxides. Hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

Information on toxicological likely routes of exposure

Inhalation:	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact:	Causes skin irritation.
Eye contact:	Causes serious eye irritation.
Ingestion:	May cause discomfort is swallowed.



PRODUCT CODE: 13011 APRIL 2024

Symptoms related to physical, chemical, and toxicological characteristics:	Sovere ave irritation. Symptoms may inclu	do stinging toor	ing rodnoss swalling
characteristics.	Severe eye irritation. Symptoms may include stinging, tearing, m and blurred vision. May cause respiratory irritation. Skin irritatio redness and pain.		0
Information on toxicological effects			
Acute toxicity:	May cause discomfort if swallowed.		
	PRODUCT/INGREDIENT NAME	SPECIES	TEST RESULTS
	Urea (CAS 57-13-6)	Rat	8471 mg/kg
Skin corrosion/irritation:	Causes skin irritation		
Serious eye damage/eye irritation	: Causes serious eye irritation		
Respiratory or skin sensitization			
Respiratory sensitization:	Not a respiratory sensitizer.		
Skin Sensitization:	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity:	No data available to indicate product or any components present at greater thar 0.1% are mutagenic or genotoxic		
Carcinogenicity:	Not classifiable as to carcinogenicity to hu	mans.	
IARC Monographs: Overall Evaluation of Carcinogenicity:	Not listed		
NTP Report on Carcinogens:	Not listed		
OSHA Specifically regulated Subst	ances		
(29CRF 1910.1001-1053):	Not regulated		
Reproductive toxicity:	This product is not expected to cause repr	oductive or deve	lopmental effects.
Specific target organ toxicity – single exposure :	May cause respiratory irritation.		
Specific target organ toxicity – repeated exposure :	Not classified		
Aspiration hazard:	Not an aspiration hazard		
Chronic effects :	Prolong inhalation may be harmful		
Further information:	No other specific acute or chronic health in		



PRODUCT CODE: 13011 APRIL 2024

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity general:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

PRODUCT/INGREDIENT NAME		RESULTS	SPECIES	EXPOSURE
UREA (CAS 57-13-6)		EC50	Water flea (Daphnia magna) (Crustacea)	3910 mg/l, 48 hours
		LC50	Water flea (Daphnia magna) (Crustacea)	5 mg/l, 96 hours
Persistence and degradability	lity No data available			
Bioaccumulative potential:	Partition coefficient n-octanol / water (log Kow) Urea (CAS 57-13-6) -2.11			
Mobility in soil	No data available			
Other information	None known			

13. DISPOSAL CONSIDERATIONS

Disposal methods

Disposal instructions:	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose contents/containers in accordance with local/regional/national/ international regulations.
Local disposal regulations:	Dispose in accordance with all applicable regulations.
Hazardous waste code:	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues /	
unused products:	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal instructions).
Contaminated packaging:	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORTATION INFORMATION

DOT:	Not regulated as dangerous goods.
IATA:	Not regulated as dangerous goods.
IMDG:	Not regulated as dangerous goods.
Transport in bulk according to	
Annex II of MARPOL 73/78 and	
the IBC Code:	Not established



Profile

SAFETY DATA SHEET

PRODUCT CODE: 13011 APRIL 2024

15. REGULATORY INFORMATION

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. TSCA Section 12(b) **Export Notification** (40 CFR 707, Subpt.D): Not regulated. **CERCLA Hazardous Substance** Not listed. List (40 CFR 302.4): SARA 304 Emergency release notification: Not regulated. **OSHA Specifically Regulated Substances** (29 CFR 1910.1001-1053): Not regulated. **Toxic Substances Control Act** (TSCA): All components of the mixture on the TSCA 8(b) Inventory are designated "active. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance: Not listed. SARA 311/312 Hazardous chemical: Yes **Classified hazard categories:** Skin corrosion or irritation. Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) **Other federal regulations** Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List: Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Not regulated. Safe Drinking Water Act (SDWA): Not regulated. **US state regulations** US. Massachusetts RTK -Substance List: Not regulated. US. New Jersey Worker and Community Right-to-Know Act: Sulphamic acid (CAS 5329-14-6) US. Pennsylvania Worker and Community Right-to-Know Law: Not listed.



Profile

SAFETY DATA SHEET

PRODUCT CODE: 13011 APRIL 2024

15. REGULATORY INFORMATION Continued

California Proposition 65:

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www. P65Warnings.ca.gov

International Inventories

COUNTRY(S) OR REGION	INVENTORY NAME	ON INVENTORY (YES/NO)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
US & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION

Further Information		
NFPA ratings:		
Health:	2	
Flammability:	1	
Physical hazard:	0	

Hazard Scale – 0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe, *=Chronic

List of abbreviations: N

NFPA – National Fire Protection Association