
1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier:	Maxxon [®] Commercial Unglued
Trade Name:	Unglued Glue Remover
Recommended uses:	Pressure Sensitive Adhesive (PSA) & Flooring Glue and Matic Remover
Restrictions on uses:	None identified
Supplier:	Maxxon Corporation, 920 Hamel Road • PO Box 253 • Hamel, MN 55340
Company Telephone/Fax:	(763) 478-9600 / (763) 478-2431
Emergency Telephone Number:	(613) 996-6666 (CANUTEC)

2. HAZARDS IDENTIFICATION

GHS classification

Oral	Acute Tox. 4
Inhalation: vapour	Acute Tox. 4
Eye Irritation	2

Hazard pictograms (GHS-US)



Signal word (GHS-US) Warning

Hazard statements (GHS-US)

Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF SWALLOWED: Call a poison center or doctor if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF EYE IRRITATION PERSISTS: Get medical advice/attention. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Other hazards: No additional information available

Unknown acute toxicity: Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances: Not Applicable

NAME	PRODUCT IDENTIFIER	%
Magnesium oxide (MgO)	(CAS-No.) 1309-48-4	30 – 60
Benzyl alcohol	(CAS-No.) 100-51-6	30 – 60
Benzenesulfonic acid, C10-16-alkyl derivatives	(CAS-No.) 68584-22-5	1 - 5

***Chemical name, CAS number and/or exact concentration have been withheld as a trade secret*

4. FIRST AID MEASURES

Description of first aid measures

First-aid measures after inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.

First-aid measures after eye contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation: Harmful if inhaled. May cause irritation to the respiratory tract.

Symptoms/effects after skin contact: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after ingestion: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4. FIRST AID MEASURES *Continued*

Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media: Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media: Do not use water jet.

Special hazards arising from the substance or mixture

Fire hazard: Products of combustion may include, and are not limited to: oxides of carbon. Magnesium oxide.

Advice for firefighters

Firefighting instructions: Exercise caution when fighting any chemical fire.

Protection during firefighting: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General measures: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges.

For non-emergency personnel: No additional information available

For emergency responders: No additional information available

Environmental precautions: Prevent entry to sewers and public waters.

Methods and material for containment and cleaning up

For containment: Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

Reference to other sections: For further information refer to section 8: "Exposure controls/personal protection"

7. HANDLING AND STORAGE

Precautions for safe handling:	Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area.
Hygiene measures:	Wash contaminated clothing before reuse. Wash hands, forearms and face thoroughly after handling.
Conditions for safe storage, including any incompatibilities	
Storage area:	Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Glue Remover:	No additional information available
Magnesium oxide (MgO) (1309-48-4)	
ACGIH TWA (mg/m ³):	10 mg/m ³ (inhalable particulate matter)
ACGIH chemical category:	Not Classifiable as a Human Carcinogen
OSHA PEL (TWA) (mg/m ³):	15 mg/m ³ (fume, total particulate)
US IDLH (mg/m ³):	750 mg/m ³ (fume)
Benzyl alcohol (100-51-6):	No additional information available
Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5):	No additional information available

Individual protection measures/ Personal protective equipment

Appropriate engineering controls:	Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.
Hand protection:	Wear suitable gloves.
Eye protection:	Wear eye/face protection.
Skin and body protection:	Wear suitable protective clothing.
Respiratory protection:	In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls:	Avoid release to the environment.
Other information:	Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid
Appearance	Paste
Colour	Light Brown
Odour	Aromatic
Odour threshold	No data available
pH	Not applicable
Melting point	-15 deg C/ 5 deg F
Freezing point	-15 deg C/ 5 deg F
Boiling point	No data available
Flash point	>96 °C /204.8 °F (Benzyl Alcohol)
Relative evaporation rate (butylacetate=1)	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative vapour density at 20 °C	No data available
Relative density	1.66 (Water = 1)
Solubility	No data available
Partition coefficient n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive limits	No data available
Explosive properties	No data available
Oxidising properties	No data available
Other information:	No additional information available

10. STABILITY AND REACTIVITY

Reactivity:	No dangerous reactions known under normal conditions of use.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	No dangerous reactions known under normal conditions of use.
Conditions to avoid:	Heat. Incompatible materials.
Incompatible materials:	Strong oxidizers.
Hazardous decomposition products:	May include, and are not limited to: oxides of carbon. Magnesium oxide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral:	Harmful if swallowed.
Dermal	Not classified
Inhalation	Harmful if inhaled.
ATE CA (oral):	1971.796 mg/kg bodyweight
ATE CA (vapours):	11 mg/l/4h

BENZYL ALCOHOL (100-51-6)

LD50 oral rat	1,230 mg/kg
LD50 dermal rat	2,000 mg/kg

BEBENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES (68584-22-5)

LD50 oral rat	775 mg/kg
LD50 dermal rabbit	2,000 mg/kg

Skin corrosion/irritation:	Not classified
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitisation:	Not classified
Germ cell mutagenicity:	Not classified
Carcinogenicity:	Not classified
Reproductive toxicity:	Not classified
STOT-single exposure:	Not classified
STOT-repeated exposure:	Not classified
Aspiration hazard:	Not classified
Symptoms/effects after inhalation:	Harmful if inhaled. May cause irritation to the respiratory tract.
Symptoms/effects after skin contact:	May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

11. TOXICOLOGICAL INFORMATION *Continued*

Symptoms/effects after eye contact:	Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/effects after ingestion:	Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information:	Likely routes of exposure: ingestion, inhalation, skin and eye.

12. ECOLOGICAL INFORMATION

General: May cause long-term adverse effects in the aquatic environment.

BENZYL ALCOHOL (100-51-6)

LC50 fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES (68584-22-5)

LC50 fish 1	3 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	2.9 mg/l (Exposure time: 48 h - Species: Daphnia magna)

PERSISTENCE AND DEGRADABILITY

GLUE REMOVER

Persistence and degradability	Not established
-------------------------------	-----------------

BIOACCUMULATIVE POTENTIAL

GLUE REMOVER

Bioaccumulative potential	Not established.
---------------------------	------------------

BENZYL ALCOHOL (100-51-6)

Partition coefficient n-octanol/water	1.1
---------------------------------------	-----

BENZENESULFONIC ACID, C10-16-ALKYL DERIVATIVES (68584-22-5)

Partition coefficient n-octanol/water	2 (at 23 °C)
---------------------------------------	--------------

Mobility in soil: No additional information available

Other adverse effects: No other effects known.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Product/Packaging disposal recommendations	This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
Additional information:	Clean up even minor leaks or spills if possible without unnecessary risk. Empty containers may contain residues which are hazardous.

14. TRANSPORTATION INFORMATION

Department of Transportation (DOT) and Transportation of Dangerous Goods (TDG)

In accordance with DOT/TDG: Not regulated

15. REGULATORY INFORMATION

Federal regulations:

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

International regulations:

No additional information available

US State regulations:

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

16. OTHER INFORMATION

Product List: Maxxon Commercial Primer

Issue Date: June 2022

Version: 01

Revision Date: NA

Prepared by: Maxxon Corporation

HMIS[®] ratings:

Health: 0

Flammability: 0

Reactivity: 0

NFPA ratings:

Health: 0

Flammability: 0

Reactivity: 0

0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe *=Chronic

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.